



lighting

lighting

2012
CATALOGUE
fiber & LED

Fiber Optic Chandelier




Plastic Fiber Optic String



Import ESKA Fiber Optic String

Model	Diameter	Length (m/RL)	Attenuation
SF-0.5	0.5mm	6000	0.2db/m
SF-0.75	0.75mm	2700	0.2db/m
SF-1.0	1.0mm	1500	0.2db/m
SF-1.5	1.5mm	700	0.2db/m
SF-2.0	2.0mm	250	0.2db/m
SF-2.5	2.5mm	250	0.2db/m
SF-3.0	3.0mm	150	0.2db/m



Our local Fiber Optic String

Model	Diameter	Length (m/RL)	Attenuation
MF-0.5	0.5mm	6000	0.35db/m
MF-0.75	0.75mm	2700	0.35db/m
MF-1.0	1.0mm	1500	0.35db/m
MF-1.5	1.5mm	700	0.35db/m
MF-2.0	2.0mm	250	0.35db/m
MF-2.5	2.5mm	250	0.35db/m
MF-3.0	3.0mm	150	0.35db/m



Plastic End Lit Fiber Optic


We coat a black PVC jacket for plastic fiber optic, it can protect inner fiber well, and get more light from illuminator

Model	Fiber Dia.	Outer Dia.	Roll Length	Jacket
PEOF-0.75	0.75mm	1.8mm	2700m	Black PVC
PEOF-1.0	1.0mm	2.2mm	1500m	Black PVC
PEOF-1.5	1.5mm	3.5mm	700m	Black PVC
PEOF-2.0	2.0mm	4.0mm	250m	Black PVC
PEOF-2.5	2.5mm	4.5mm	250m	Black PVC
PEOF-3.0	3.0mm	5.0mm	150m	Black PVC



Plastic Multi-string End Lit Fiber Optic

It is consisted by many strings of 0.75mm fiber, flexible, more brightness and in good quality, they are the First choice at Museum, Garden, Ceiling&Floor, Pool or others require end lit decoration project.




Model	Fiber Qty	Outer Dia.	Roll Length	Jacket
MEOF-7	7X0.75mm	3.8mm	30/60/100m	Black PVC
MEOF-14	14X0.75mm	5.0mm	30/60/100m	Black PVC
MEOF-25	25X0.75mm	7.0mm	30/60/100m	Black PVC
MEOF-42	42X0.75mm	8.0mm	30/60/100m	Black PVC
MEOF-50	50X0.75mm	9.0mm	30/60/100m	Black PVC
MEOF-60	60X0.75mm	9.5mm	30/60/100m	Black PVC
MEOF-75	75X0.75mm	10.5mm	30/60/100m	Black PVC
MEOF-84	84X0.75mm	11.0mm	30/60/100m	Black PVC
MEOF-100	100X0.75mm	12.0mm	30/60/100m	Black PVC
MEOF-126	126X0.75mm	13.0mm	30/60/100m	Black PVC



Sparkle Fiber Optic

Model	Fiber	Outer Dia.	Roll Length	Jacket
SSOF-0.75	0.75mm	0.75mm	2700m	Black PVC
SSOF-1.0	1.0mm	1.0mm	1500m	Black PVC
SSOF-1*0.75	1X0.75mm	1.2mm	2700m	Black PVC
SSOF-1*1.0	1X1.0mm	1.6mm	1500m	Black PVC
SSOF-3*0.75	3X0.75mm	3.0mm	900m	Black PVC
SSOF-6*0.75	6X0.75mm	4.0mm	450m	Black PVC
SSOF-9*0.75	9X0.75mm	6.0mm	300m	Black PVC



Solid Core Side Glow Fiber Optic

Solid Core fiber has a wide application, used it with our illuminator, it can get more brightness, they are mostly used at Pool, Sauna, Garden or others.

Polymer Side Glow Fiber Optic with Clear PVC Jacket

Model	Fiber Dia.	Outer Dia.	Roll Length	Jacket
PSOF-2	2.0mm	3.5mm	30/60/100m	Clear PVC
PSOF-2.5	2.5mm	4.0mm	30/60/100m	Clear PVC
PSOF-3	3.0mm	4.5mm	30/60/100m	Clear PVC
PSOF-4	4.0mm	5.0mm	30/60/100m	Clear PVC
PSOF-5	5.0mm	6.0mm	30/60/100m	Clear PVC
PSOF-6	6.0mm	8.8mm	30/60/100m	Clear PVC
PSOF-8	8.0mm	11.0mm	30/60/100m	Clear PVC
PSOF-10	10mm	13.0mm	30/60/100m	Clear PVC
PSOF-11	11mm	14.0mm	30/60/100m	Clear PVC
PSOF-12	12mm	14.0mm	30/60/100m	Clear PVC
PSOF-14	14mm	17.3mm	30/60/100m	Clear PVC
PSOF-16	16mm	18.0mm	30/60/100m	Clear PVC
PSOF-18	18mm	20.0mm	30/60/100m	Clear PVC



Clip



Channel

Polymer Side Glow Fiber Optic without Clear PVC Jacket

Model	Fiber Dia.	Outer Dia.	Roll Length	Jacket
SOF-2	2.0mm	3.0mm	30/60/100m	NO
SOF-2.5	2.5mm	2.5mm	30/60/100m	NO
SOF-3	3.0mm	3.0mm	30/60/100m	NO
SOF-4	4.0mm	4.0mm	30/60/100m	NO
SOF-5	5.0mm	5.0mm	30/60/100m	NO
SOF-6	6.0mm	6.0mm	30/60/100m	NO
SOF-8	8.0mm	8.0mm	30/60/100m	NO
SOF-10	10mm	10.0mm	30/60/100m	NO
SOF-12	12mm	12.0mm	30/60/100m	NO
SOF-14	14mm	14.0mm	30/60/100m	NO

Solid Core End Lit Fiber Optic

Polymer End Lit Fiber Optic with Black PVC Jacket

Model	Fiber Dia.	Outer Dia.	Roll Length	Jacket
PEOF-2	2.0mm	3.0mm	30/60/100m	Black PVC
PEOF-2.5	2.5mm	4.0mm	30/60/100m	Black PVC
PEOF-3	3.0mm	4.5mm	30/60/100m	Black PVC
PEOF-4	4.0mm	5.0mm	30/60/100m	Black PVC
PEOF-5	5.0mm	7.0mm	30/60/100m	Black PVC
PEOF-6	6.0mm	8.6mm	30/60/100m	Black PVC
PEOF-8	8.0mm	11.0mm	30/60/100m	Black PVC
PEOF-10	10mm	13.0mm	30/60/100m	Black PVC
PEOF-11	11mm	14.0mm	30/60/100m	Black PVC
PEOF-12	12mm	14.0mm	30/60/100m	Black PVC
PEOF-14	14mm	17.3mm	30/60/100m	Black PVC



Polymer Fiber Optic Used at Projects

